

CODE	DIMENZIJA MM	POVRSINA	PAKOVANJE	MATERIJAL
WSPC-12R10-0.20-S28	0.20	Matirana, zasticena praskom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPB-12R10-0.20-S28	0.20	Polirana, visoki sjaj	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPB-12R10-0.25-S28	0.25	Povrsina svetlo brusena	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-0.25-S28	0.25	Matirana, zasticena praskom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPNC-T302-0.25-S28	0.25	Povrsina matirana, zasticena niklom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Gusab T302
WSPB-12R10-0.25-S28	0.25	Polirana, visoki sjaj	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPB-12R10-0.28-S28	0.28	Povrsina svetlo brusena	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPB-12R10-0.30-S28	0.30	Povrsina svetlo brusena	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-0.30-S28	0.30	Matirana, zasticena praskom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPNC-T302-0.30-S28	0.30	Povrsina matirana, zasticena niklom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Gusab T302
WSPB-12R10-0.30-S28	0.30	Polirana, visoki sjaj	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPB-12R10-0.32-S28	0.32	Povrsina svetlo brusena	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPB-12R10-0.35-S28	0.35	Povrsina svetlo brusena	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-0.35-S28	0.35	Matirana, zasticena praskom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPNC-T302-0.35-S28	0.35	Povrsina matirana, zasticena niklom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Gusab T302
WSPB-12R10-0.35-S28	0.35	Polirana, visoki sjaj	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-0.38-S28	0.38	Matirana, zasticena praskom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPB-12R10-0.38-S28	0.38	Polirana, visoki sjaj	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPB-12R10-0.40-S28	0.40	Povrsina svetlo brusena	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-0.40-S28	0.40	Matirana, zasticena praskom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPNC-T302-0.40-S28	0.40	Povrsina matirana, zasticena niklom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Gusab T302
WSPB-12R10-0.40-S28	0.40	Polirana, visoki sjaj	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPB-12R10-0.45-S28	0.45	Povrsina svetlo brusena	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-0.45-S28	0.45	Matirana, zasticena praskom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPNC-T302-0.45-S28	0.45	Povrsina matirana, zasticena niklom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Gusab T302
WSPB-12R10-0.45-S28	0.45	Polirana, visoki sjaj	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPB-12R10-0.50-S28	0.50	Povrsina svetlo brusena	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-0.50-S17	0.50	Matirana, zasticena praskom	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10

OPRUZNA ZICA OD NERDJAJUCEG CELIKA

CODE	DIMENZIJA MM	POVRSINA	PAKOVANJE	MATERIJAL
WSPC-12R10-0.50-S28	0.50	Matirana, zasticena praskom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPNC-T302-0.50-S28	0.50	Povrsina matirana, zasticena niklom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Gusab T302
WSPP-12R10-0.50-S17	0.50	Polirana, visoki sjaj	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPP-12R10-0.50-S28	0.50	Polirana, visoki sjaj	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPB-12R10-0.55-S28	0.55	Povrsina svetlo brusena	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-0.55-S28	0.55	Matirana, zasticena praskom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPNC-T302-0.55-S28	0.55	Povrsina matirana, zasticena niklom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Gusab T302
WSPP-12R10-0.55-S28	0.55	Polirana, visoki sjaj	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPB-12R10-0.60-S28	0.60	Povrsina svetlo brusena	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-0.60-S17	0.60	Matirana, zasticena praskom	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPC-12R10-0.60-S28	0.60	Matirana, zasticena praskom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPNC-T302-0.60-S28	0.60	Povrsina matirana, zasticena niklom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Gusab T302
WSPP-12R10-0.60-S17	0.60	Polirana, visoki sjaj	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPP-12R10-0.60-S28	0.60	Polirana, visoki sjaj	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-0.63-S28	0.63	Matirana, zasticena praskom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPB-12R10-0.65-S28	0.65	Povrsina svetlo brusena	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-0.65-S28	0.65	Matirana, zasticena praskom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPNC-T302-0.65-S28	0.65	Povrsina matirana, zasticena niklom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Gusab T302
WSPP-12R10-0.65-S28	0.65	Polirana, visoki sjaj	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPB-12R10-0.70-S28	0.70	Povrsina svetlo brusena	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-0.70-S17	0.70	Matirana, zasticena praskom	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPC-12R10-0.70-S28	0.70	Matirana, zasticena praskom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPNC-T302-0.70-S28	0.70	Povrsina matirana, zasticena niklom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Gusab T302
WSPP-12R10-0.70-S17	0.70	Polirana, visoki sjaj	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPP-12R10-0.70-S28	0.70	Polirana, visoki sjaj	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-0.75-S17	0.75	Matirana, zasticena praskom	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPP-12R10-0.75-S17	0.75	Polirana, visoki sjaj	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPB-12R10-0.80-S28	0.80	Povrsina svetlo brusena	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-0.80-S17	0.80	Matirana, zasticena praskom	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10

OPRUZNA ZICA OD NERDJAJUCEG CELIKA

CODE	DIMENZIJA MM	POVRSINA	PAKOVANJE	MATERIJAL
WSPC-12R10-0.80-S28	0.80	Matirana, zasticena praskom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPNC-T302-0.80-S28	0.80	Povrsina matirana, zasticena niklom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Gusab T302
WSPP-12R10-0.80-S17	0.80	Polirana, visoki sjaj	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPP-12R10-0.80-S28	0.80	Polirana, visoki sjaj	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-0.90-S17	0.90	Matirana, zasticena praskom	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPC-12R10-0.90-S28	0.90	Matirana, zasticena praskom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPNC-T302-0.90-S28	0.90	Povrsina matirana, zasticena niklom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Gusab T302
WSPP-12R10-0.90-S17	0.90	Polirana, visoki sjaj	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPP-12R10-0.90-S28	0.90	Polirana, visoki sjaj	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-0.95-S28	0.95	Matirana, zasticena praskom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPP-12R10-0.95-S28	0.95	Polirana, visoki sjaj	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-1.00-S17	1.00	Matirana, zasticena praskom	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPC-12R10-1.00-S28	1.00	Matirana, zasticena praskom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPNC-T302-1.00-S28	1.00	Povrsina matirana, zasticena niklom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Gusab T302
WSPP-12R10-1.00-S17	1.00	Polirana, visoki sjaj	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPP-12R10-1.00-S28	1.00	Polirana, visoki sjaj	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-1.10-S17	1.10	Matirana, zasticena praskom	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPC-12R10-1.10-S28	1.10	Matirana, zasticena praskom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPNC-T302-1.10-S28	1.10	Povrsina matirana, zasticena niklom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Gusab T302
WSPP-12R10-1.10-S17	1.10	Polirana, visoki sjaj	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPP-12R10-1.10-S28	1.10	Polirana, visoki sjaj	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-1.20-S17	1.20	Matirana, zasticena praskom	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPC-12R10-1.20-S28	1.20	Matirana, zasticena praskom	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPP-12R10-1.20-S17	1.20	Polirana, visoki sjaj	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPP-12R10-1.20-S28	1.20	Polirana, visoki sjaj	Plasticni kotur tezine 1,85 kg, paket oko 40 kg	Sandvik 12R10
WSPC-12R10-1.25-S17	1.25	Matirana, zasticena praskom	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPP-12R10-1.25-S17	1.25	Polirana, visoki sjaj	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPC-12R10-1.30-C	1.30	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Sandvik 12R10
WSPC-12R10-1.30-S17	1.30	Matirana, zasticena praskom	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10

OPRUZNA ZICA OD NERDJAJUCEG CELIKA

CODE	DIMENZIJA MM	POVRSINA	PAKOVANJE	MATERIJAL
WSPP-12R10-1.30-C	1.30	Polirana, visoki sjaj	Bez ram, na koturu namotano, oko 150 kg paket	Sandvik 12R10
WSPP-12R10-1.30-S17	1.30	Polirana, visoki sjaj	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPC-12R10-1.40-C	1.40	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Sandvik 12R10
WSPC-12R10-1.40-S17	1.40	Matirana, zasticena praskom	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPP-12R10-1.40-C	1.40	Polirana, visoki sjaj	Bez ram, na koturu namotano, oko 150 kg paket	Sandvik 12R10
WSPP-12R10-1.40-S17	1.40	Polirana, visoki sjaj	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPC-12R10-1.50-C	1.50	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Sandvik 12R10
WSPP-12R10-1.50-C	1.50	Polirana, visoki sjaj	Bez ram, na koturu namotano, oko 150 kg paket	Sandvik 12R10
WSPC-12R10-1.60-C	1.60	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Sandvik 12R10
WSPC-12R10-1.60-S17	1.60	Matirana, zasticena praskom	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPP-12R10-1.60-C	1.60	Polirana, visoki sjaj	Bez ram, na koturu namotano, oko 150 kg paket	Sandvik 12R10
WSPP-12R10-1.60-S17	1.60	Polirana, visoki sjaj	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPC-12R10-1.70-S17	1.70	Matirana, zasticena praskom	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPP-12R10-1.70-S17	1.70	Polirana, visoki sjaj	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPC-12R10-1.80-C	1.80	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Sandvik 12R10
WSPC-12R10-1.80-S17	1.80	Matirana, zasticena praskom	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPP-12R10-1.80-C	1.80	Polirana, visoki sjaj	Bez ram, na koturu namotano, oko 150 kg paket	Sandvik 12R10
WSPP-12R10-1.80-S17	1.80	Polirana, visoki sjaj	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPC-12R10-2.00-S17	2.00	Matirana, zasticena praskom	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPP-12R10-2.00-S17	2.00	Polirana, visoki sjaj	Metalni kotur tezine 44 kg, paket oko 400 kg	Sandvik 12R10
WSPC-T302-2.20-C	2.20	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Gusab T302
WSPC-T302-2.30-C	2.30	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Gusab T302
WSPC-T302-2.50-C	2.50	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Gusab T302
WSPC-T302-2.60-C	2.60	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Gusab T302
WSPC-T302-2.70-C	2.70	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Gusab T302
WSPC-T302-3.00-C	3.00	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Gusab T302
WSPC-T302-3.20-C	3.20	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Gusab T302
WSPC-T302-3.50-C	3.50	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Gusab T302
WSPC-T302-4.00-C	4.00	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Gusab T302

OPRUZNA ZICA OD NERDJAJUCEG CELIKA

CODE	DIMENZIJA MM	POVRSINA	PAKOVANJE	MATERIJAL
WSPC-T302-4.50-C	4.50	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Gusab T302
WSPC-T302-5.00-C	5.00	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Gusab T302
WSPC-T302-5.50-C	5.50	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Gusab T302
WSPC-T302-6.00-C	6.00	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Gusab T302
WSPC-T302-7.00-C	7.00	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Gusab T302
WSPC-T302-8.00-C	8.00	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Gusab T302
WSPC-T302-10.00-C	10.00	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Gusab T302
WSPC-T302-12.00-C	12.00	Matirana, zasticena praskom	Bez ram, na koturu namotano, oko 150 kg paket	Gusab T302