

## DEBELOZIDNE CEVI

CODE	DIMENZIJA MM	DUZINA MM	TEZINA TEOR. KG/M	MATERIJAL
THB-SANMAC316L-32-20	32 - 20	2500 - 6500	3.910	316-316L
THB-SANMAC4571-32-16	32 - 16	2500 - 6500	4.810	316Ti
THB-SANMAC4571-32-20	32 - 20	2500 - 6500	3.910	316Ti
THB-SANMAC316L-32-16	32 - 16	2500 - 6500	4.810	316-316L
THB-SANMAC304L-32-20	32 - 20	2500 - 6500	3.910	304-304L
THB-SANMAC304L-32-16	32 - 16	2500 - 6500	4.810	304-304L
THB-SANMAC316L-36-20	36 - 20	2500 - 6500	5.610	316-316L
THB-SANMAC304L-36-25	36 - 25	2500 - 6500	4.200	304-304L
THB-SANMAC316L-36-16	36 - 16	2500 - 6500	6.510	316-316L
THB-SANMAC316L-36-25	36 - 25	2500 - 6500	4.200	316-316L
THB-SANMAC304L-36-20	36 - 20	2500 - 6500	5.610	304-304L
THB-SANMAC4571-36-25	36 - 25	2500 - 6500	4.200	316Ti
THB-SANMAC4571-36-16	36 - 16	2500 - 6500	6.510	316Ti
THB-SANMAC4571-36-20	36 - 20	2500 - 6500	5.610	316Ti
THB-SANMAC304L-36-16	36 - 16	2500 - 6500	6.510	304-304L
THB-SANMAC4571-40-25	40 - 25	2500 - 6500	6.100	316Ti
THB-SANMAC4571-40-28	40 - 28	2500 - 6500	5.110	316Ti
THB-SANMAC316L-40-20	40 - 20	2500 - 6500	7.510	316-316L
THB-SANMAC316L-40-25	40 - 25	2500 - 6500	6.100	316-316L
THB-SANMAC316L-40-28	40 - 28	2500 - 6500	5.110	316-316L
THB-SANMAC4571-40-20	40 - 20	2500 - 6500	7.510	316Ti
THB-SANMAC304L-40-20	40 - 20	2500 - 6500	7.510	304-304L
THB-SANMAC304L-40-25	40 - 25	2500 - 6500	6.100	304-304L
THB-SANMAC304L-40-28	40 - 28	2500 - 6500	5.110	304-304L
THB-SANMAC304L-45-32	45 - 32	2500 - 6500	6.270	304-304L
THB-SANMAC4571-45-32	45 - 32	2500 - 6500	6.270	316Ti
THB-SANMAC316L-45-32	45 - 32	2500 - 6500	6.270	316-316L
THB-SANMAC316L-45-20	45 - 20	2500 - 6500	10.170	316-316L
THB-SANMAC304L-45-28	45 - 28	2500 - 6500	7.770	304-304L
THB-SANMAC316L-45-28	45 - 28	2500 - 6500	7.770	316-316L
THB-SANMAC4571-45-20	45 - 20	2500 - 6500	10.170	316Ti
THB-SANMAC4571-45-28	45 - 28	2500 - 6500	7.770	316Ti
THB-SANMAC304L-45-20	45 - 20	2500 - 6500	10.170	304-304L
THB-SANMAC316L-50-32	50 - 32	2500 - 6500	9.240	316-316L
THB-SANMAC316L-50-36	50 - 36	2500 - 6500	7.540	316-316L
THB-SANMAC304L-50-36	50 - 36	2500 - 6500	7.540	304-304L
THB-SANMAC4571-50-32	50 - 32	2500 - 6500	9.240	316Ti
THB-SANMAC4571-50-25	50 - 25	2500 - 6500	11.740	316Ti
THB-SANMAC304L-50-32	50 - 32	2500 - 6500	9.240	304-304L
THB-SANMAC304L-50-25	50 - 25	2500 - 6500	11.740	304-304L
THB-SANMAC316L-50-25	50 - 25	2500 - 6500	11.740	316-316L
THB-SANMAC4571-50-36	50 - 36	2500 - 6500	7.540	316Ti
THB-SANMAC304L-56-40	56 - 40	2500 - 6500	9.620	304-304L

## DEBELOZIDNE CEVI

CODE	DIMENZIJA MM	DUZINA MM	TEZINA TEOR. KG/M	MATERIJAL
THB-SANMAC304L-56-36	56 - 36	2500 - 6500	11.520	304-304L
THB-SANMAC304L-56-28	56 - 28	2500 - 6500	14.720	304-304L
THB-SANMAC4571-56-40	56 - 40	2500 - 6500	9.620	316Ti
THB-SANMAC4571-56-36	56 - 36	2500 - 6500	11.520	316Ti
THB-SANMAC316L-56-28	56 - 28	2500 - 6500	14.720	316-316L
THB-SANMAC316L-56-36	56 - 36	2500 - 6500	11.520	316-316L
THB-SANMAC316L-56-40	56 - 40	2500 - 6500	9.620	316-316L
THB-SANMAC4571-56-28	56 - 28	2500 - 6500	14.720	316Ti
THB-SANMAC4571-60-40	60 - 40	2500 - 6500	12.520	316Ti
THB-SANMAC304L-63-36	63 - 36	2500 - 6500	16.730	304-304L
THB-SANMAC304L-63-40	63 - 40	2500 - 6500	14.830	304-304L
THB-SANMAC4571-63-40	63 - 40	2500 - 6500	14.830	316Ti
THB-SANMAC304L-63-32	63 - 32	2500 - 6500	18.440	304-304L
THB-SANMAC4571-63-32	63 - 32	2500 - 6500	18.440	316Ti
THB-SANMAC304L-63-50	63 - 50	2500 - 6500	9.200	304-304L
THB-SANMAC316L-63-36	63 - 36	2500 - 6500	16.730	316-316L
THB-SANMAC4571-63-36	63 - 36	2500 - 6500	16.730	316Ti
THB-SANMAC304L-63-45	63 - 45	2500 - 6500	12.170	304-304L
THB-SANMAC4571-63-50	63 - 50	2500 - 6500	9.200	316Ti
THB-SANMAC316L-63-32	63 - 32	2500 - 6500	18.440	316-316L
THB-SANMAC316L-63-40	63 - 40	2500 - 6500	14.830	316-316L
THB-SANMAC316L-63-50	63 - 50	2500 - 6500	9.200	316-316L
THB-SANMAC316L-63-45	63 - 45	2500 - 6500	12.170	316-316L
THB-SANMAC4571-63-45	63 - 45	2500 - 6500	12.170	316Ti
THB-SANMAC4571-71-40	71 - 40	2500 - 6500	21.540	316Ti
THB-SANMAC316L-71-45	71 - 45	2500 - 6500	18.880	316-316L
THB-SANMAC4571-71-56	71 - 56	2500 - 6500	11.930	316Ti
THB-SANMAC316L-71-40	71 - 40	2500 - 6500	21.540	316-316L
THB-SANMAC4571-71-36	71 - 36	2500 - 6500	23.440	316Ti
THB-SANMAC4571-71-45	71 - 45	2500 - 6500	18.880	316Ti
THB-SANMAC316L-71-36	71 - 36	2500 - 6500	23.440	316-316L
THB-SANMAC304L-71-36	71 - 36	2500 - 6500	23.440	304-304L
THB-SANMAC316L-71-56	71 - 56	2500 - 6500	11.930	316-316L
THB-SANMAC304L-71-40	71 - 40	2500 - 6500	21.540	304-304L
THB-SANMAC304L-71-56	71 - 56	2500 - 6500	11.930	304-304L
THB-SANMAC304L-71-45	71 - 45	2500 - 6500	18.880	304-304L
THB-SANMAC304L-75-40	75 - 40	2500 - 6500	25.200	304-304L
THB-SANMAC316L-75-50	75 - 50	2500 - 6500	19.560	316-316L
THB-SANMAC304L-75-50	75 - 50	2500 - 6500	19.560	304-304L
THB-SANMAC316L-75-60	75 - 60	2500 - 6500	12.680	316-316L
THB-SANMAC316L-75-40	75 - 40	2500 - 6500	25.200	316-316L
THB-SANMAC4571-75-40	75 - 40	2500 - 6500	25.200	316Ti
THB-SANMAC304L-75-60	75 - 60	2500 - 6500	12.680	304-304L
THB-SANMAC304L-80-40	80 - 40	2500 - 6500	30.050	304-304L

## DEBELOZIDNE CEVI

CODE	DIMENZIJA MM	DUZINA MM	TEZINA TEOR. KG/M	MATERIJAL
THB-SANMAC4571-80-40	80 - 40	2500 - 6500	30.050	316Ti
THB-SANMAC304L-80-45	80 - 45	2500 - 6500	27.390	304-304L
THB-SANMAC4571-80-45	80 - 45	2500 - 6500	27.390	316Ti
THB-SANMAC316L-80-40	80 - 40	2500 - 6500	30.050	316-316L
THB-SANMAC304L-80-50	80 - 50	2500 - 6500	24.410	304-304L
THB-SANMAC4571-80-63	80 - 63	2500 - 6500	15.220	316Ti
THB-SANMAC316L-80-50	80 - 50	2500 - 6500	24.410	316-316L
THB-SANMAC316L-80-45	80 - 45	2500 - 6500	27.390	316-316L
THB-SANMAC304L-80-63	80 - 63	2500 - 6500	15.220	304-304L
THB-SANMAC316L-80-63	80 - 63	2500 - 6500	15.220	316-316L
THB-SANMAC4571-80-50	80 - 50	2500 - 6500	24.410	316Ti
THB-SANMAC304L-85-67	85 - 67	2500 - 6500	17.130	304-304L
THB-SANMAC4571-85-45	85 - 45	2500 - 6500	32.550	316Ti
THB-SANMAC316L-85-45	85 - 45	2500 - 6500	32.550	316-316L
THB-SANMAC304L-85-55	85 - 55	2500 - 6500	26.290	304-304L
THB-SANMAC316L-85-55	85 - 55	2500 - 6500	26.290	316-316L
THB-SANMAC304L-85-45	85 - 45	2500 - 6500	32.550	304-304L
THB-SANMAC316L-85-67	85 - 67	2500 - 6500	17.130	316-316L
THB-SANMAC316L-90-71	90 - 71	2500 - 6500	19.150	316-316L
THB-SANMAC316L-90-50	90 - 50	2500 - 6500	35.060	316-316L
THB-SANMAC316L-90-56	90 - 56	2500 - 6500	31.070	316-316L
THB-SANMAC304L-90-56	90 - 56	2500 - 6500	31.070	304-304L
THB-SANMAC4571-90-50	90 - 50	2500 - 6500	35.060	316Ti
THB-SANMAC316L-90-63	90 - 63	2500 - 6500	25.860	316-316L
THB-SANMAC304L-90-50	90 - 50	2500 - 6500	35.060	304-304L
THB-SANMAC304L-90-63	90 - 63	2500 - 6500	25.860	304-304L
THB-SANMAC4571-90-71	90 - 71	2500 - 6500	19.150	316Ti
THB-SANMAC4571-90-63	90 - 63	2500 - 6500	25.860	316Ti
THB-SANMAC4571-90-56	90 - 56	2500 - 6500	31.070	316Ti
THB-SANMAC304L-90-71	90 - 71	2500 - 6500	19.150	304-304L
THB-SANMAC304L-95-50	95 - 50	2500 - 6500	40.850	304-304L
THB-SANMAC4571-95-50	95 - 50	2500 - 6500	40.850	316Ti
THB-SANMAC316L-95-67	95 - 67	2500 - 6500	28.400	316-316L
THB-SANMAC304L-95-67	95 - 67	2500 - 6500	28.400	304-304L
THB-SANMAC304L-95-75	95 - 75	2500 - 6500	21.280	304-304L
THB-SANMAC316L-95-75	95 - 75	2500 - 6500	21.280	316-316L
THB-SANMAC316L-95-50	95 - 50	2500 - 6500	40.850	316-316L
THB-SANMAC4571-100-63	100 - 63	2500 - 6500	37.750	316Ti
THB-SANMAC316L-100-56	100 - 56	2500 - 6500	42.970	316-316L
THB-SANMAC316L-100-71	100 - 71	2500 - 6500	31.040	316-316L
THB-SANMAC316L-100-63	100 - 63	2500 - 6500	37.750	316-316L
THB-SANMAC316L-100-80	100 - 80	2500 - 6500	22.540	316-316L
THB-SANMAC304L-100-56	100 - 56	2500 - 6500	42.970	304-304L
THB-SANMAC4571-100-71	100 - 71	2500 - 6500	31.040	316Ti

## DEBELOZIDNE CEVI

CODE	DIMENZIJA MM	DUZINA MM	TEZINA TEOR. KG/M	MATERIJAL
THB-SANMAC304L-100-71	100 - 71	2500 - 6500	31.040	304-304L
THB-SANMAC304L-100-80	100 - 80	2500 - 6500	22.540	304-304L
THB-SANMAC304L-100-63	100 - 63	2500 - 6500	37.750	304-304L
THB-SANMAC4571-100-56	100 - 56	2500 - 6500	42.970	316Ti
THB-SANMAC4571-100-80	100 - 80	2500 - 6500	22.540	316Ti
THB-SANMAC304L-106-71	106 - 71	2500 - 6500	38.780	304-304L
THB-SANMAC4571-106-63	106 - 63	2500 - 6500	45.490	316Ti
THB-SANMAC4571-106-56	106 - 56	2500 - 6500	50.710	316Ti
THB-SANMAC304L-106-56	106 - 56	2500 - 6500	50.710	304-304L
THB-SANMAC304L-106-80	106 - 80	2500 - 6500	30.270	304-304L
THB-SANMAC316L-106-80	106 - 80	2500 - 6500	30.270	316-316L
THB-SANMAC304L-106-63	106 - 63	2500 - 6500	45.490	304-304L
THB-SANMAC4571-106-80	106 - 80	2500 - 6500	30.270	316Ti
THB-SANMAC316L-106-71	106 - 71	2500 - 6500	38.780	316-316L
THB-SANMAC316L-106-56	106 - 56	2500 - 6500	50.710	316-316L
THB-SANMAC316L-106-63	106 - 63	2500 - 6500	45.490	316-316L
THB-SANMAC4571-106-71	106 - 71	2500 - 6500	38.780	316Ti
THB-SANMAC316L-112-90	112 - 90	2500 - 6500	27.820	316-316L
THB-SANMAC304L-112-63	112 - 63	2500 - 6500	53.680	304-304L
THB-SANMAC316L-112-80	112 - 80	2500 - 6500	38.460	316-316L
THB-SANMAC304L-112-90	112 - 90	2500 - 6500	27.820	304-304L
THB-SANMAC316L-112-71	112 - 71	2500 - 6500	46.970	316-316L
THB-SANMAC316L-112-63	112 - 63	2500 - 6500	53.680	316-316L
THB-SANMAC4571-112-71	112 - 71	2500 - 6500	46.970	316Ti
THB-SANMAC304L-112-80	112 - 80	2500 - 6500	38.460	304-304L
THB-SANMAC4571-112-90	112 - 90	2500 - 6500	27.820	316Ti
THB-SANMAC4571-112-80	112 - 80	2500 - 6500	38.460	316Ti
THB-SANMAC4571-112-63	112 - 63	2500 - 6500	53.680	316Ti
THB-SANMAC304L-112-71	112 - 71	2500 - 6500	46.970	304-304L
THB-SANMAC304L-118-71	118 - 71	2500 - 6500	55.610	304-304L
THB-SANMAC316L-118-80	118 - 80	2500 - 6500	47.100	316-316L
THB-SANMAC316L-118-63	118 - 63	2500 - 6500	62.320	316-316L
THB-SANMAC4571-118-71	118 - 71	2500 - 6500	55.610	316Ti
THB-SANMAC4571-118-90	118 - 90	2500 - 6500	36.460	316Ti
THB-SANMAC4571-118-80	118 - 80	2500 - 6500	47.100	316Ti
THB-SANMAC4571-118-63	118 - 63	2500 - 6500	62.320	316Ti
THB-SANMAC304L-118-80	118 - 80	2500 - 6500	47.100	304-304L
THB-SANMAC316L-118-71	118 - 71	2500 - 6500	55.610	316-316L
THB-SANMAC304L-118-90	118 - 90	2500 - 6500	36.460	304-304L
THB-SANMAC316L-118-90	118 - 90	2500 - 6500	36.460	316-316L
THB-SANMAC304L-118-63	118 - 63	2500 - 6500	62.320	304-304L
THB-SANMAC304L-125-80	125 - 80	2500 - 6500	57.750	304-304L
THB-SANMAC304L-125-90	125 - 90	2500 - 6500	47.110	304-304L
THB-SANMAC316L-125-90	125 - 90	2500 - 6500	47.110	316-316L

## DEBELOZIDNE CEVI

CODE	DIMENZIJA MM	DUZINA MM	TEZINA TEOR. KG/M	MATERIJAL
THB-SANMAC316L-125-100	125 - 100	2500 - 6500	35.210	316-316L
THB-SANMAC316L-125-71	125 - 71	2500 - 6500	66.260	316-316L
THB-SANMAC304L-125-71	125 - 71	2500 - 6500	66.260	304-304L
THB-SANMAC316L-125-80	125 - 80	2500 - 6500	57.750	316-316L
THB-SANMAC4571-125-71	125 - 71	2500 - 6500	66.260	316Ti
THB-SANMAC304L-125-100	125 - 100	2500 - 6500	35.210	304-304L
THB-SANMAC4571-125-80	125 - 80	2500 - 6500	57.750	316Ti
THB-SANMAC4571-125-90	125 - 90	2500 - 6500	47.110	316Ti
THB-SANMAC4571-125-100	125 - 100	2500 - 6500	35.210	316Ti
THB-SANMAC316L-132-80	132 - 80	2500 - 6500	69.010	316-316L
THB-SANMAC4571-132-106	132 - 106	2500 - 6500	38.740	316Ti
THB-SANMAC4571-132-90	132 - 90	2500 - 6500	58.370	316Ti
THB-SANMAC4571-132-80	132 - 80	2500 - 6500	69.010	316Ti
THB-SANMAC4571-132-71	132 - 71	2500 - 6500	77.520	316Ti
THB-SANMAC316L-132-106	132 - 106	2500 - 6500	38.740	316-316L
THB-SANMAC316L-132-71	132 - 71	2500 - 6500	77.520	316-316L
THB-SANMAC304L-132-80	132 - 80	2500 - 6500	69.010	304-304L
THB-SANMAC316L-132-90	132 - 90	2500 - 6500	58.370	316-316L
THB-SANMAC304L-132-71	132 - 71	2500 - 6500	77.520	304-304L
THB-SANMAC304L-132-106	132 - 106	2500 - 6500	38.740	304-304L
THB-SANMAC304L-132-90	132 - 90	2500 - 6500	58.370	304-304L
THB-SANMAC316L-140-100	140 - 100	2500 - 6500	60.100	316-316L
THB-SANMAC316L-140-112	140 - 112	2500 - 6500	44.170	316-316L
THB-SANMAC316L-140-106	140 - 106	2500 - 6500	52.360	316-316L
THB-SANMAC316L-140-80	140 - 80	2500 - 6500	82.630	316-316L
THB-SANMAC304L-140-90	140 - 90	2500 - 6500	71.990	304-304L
THB-SANMAC304L-140-80	140 - 80	2500 - 6500	82.630	304-304L
THB-SANMAC316L-140-90	140 - 90	2500 - 6500	71.990	316-316L
THB-SANMAC4571-140-80	140 - 80	2500 - 6500	82.630	316Ti
THB-SANMAC4571-140-112	140 - 112	2500 - 6500	44.170	316Ti
THB-SANMAC304L-140-100	140 - 100	2500 - 6500	60.100	304-304L
THB-SANMAC304L-140-106	140 - 106	2500 - 6500	52.360	304-304L
THB-SANMAC4571-140-90	140 - 90	2500 - 6500	71.990	316Ti
THB-SANMAC304L-140-112	140 - 112	2500 - 6500	44.170	304-304L
THB-SANMAC4571-140-100	140 - 100	2500 - 6500	60.100	316Ti
THB-SANMAC4571-150-106	150 - 106	2500 - 6500	70.510	316Ti
THB-SANMAC316L-150-125	150 - 125	2500 - 6500	43.040	316-316L
THB-SANMAC4571-150-95	150 - 95	2500 - 6500	84.350	316Ti
THB-SANMAC316L-150-80	150 - 80	2500 - 6500	100.790	316-316L
THB-SANMAC304L-150-106	150 - 106	2500 - 6500	70.510	304-304L
THB-SANMAC304L-150-80	150 - 80	2500 - 6500	100.790	304-304L
THB-SANMAC316L-150-106	150 - 106	2500 - 6500	70.510	316-316L
THB-SANMAC304L-150-95	150 - 95	2500 - 6500	84.350	304-304L
THB-SANMAC316L-150-95	150 - 95	2500 - 6500	84.350	316-316L

## DEBELOZIDNE CEVI

CODE	DIMENZIJA MM	DUZINA MM	TEZINA TEOR. KG/M	MATERIJAL
THB-SANMAC4571-150-80	150 - 80	2500 - 6500	100.790	316Ti
THB-SANMAC4571-150-125	150 - 125	2500 - 6500	43.040	316Ti
THB-SANMAC304L-150-125	150 - 125	2500 - 6500	43.040	304-304L
THB-SANMAC4571-160-132	160 - 132	2500 - 6500	51.180	316Ti
THB-SANMAC316L-160-112	160 - 112	2500 - 6500	81.730	316-316L
THB-SANMAC304L-160-122	160 - 122	2500 - 6500	67.080	304-304L
THB-SANMAC316L-160-90	160 - 90	2500 - 6500	109.550	316-316L
THB-SANMAC4571-160-112	160 - 112	2500 - 6500	81.730	316Ti
THB-SANMAC304L-160-112	160 - 112	2500 - 6500	81.730	304-304L
THB-SANMAC304L-160-132	160 - 132	2500 - 6500	51.180	304-304L
THB-SANMAC304L-160-90	160 - 90	2500 - 6500	109.550	304-304L
THB-SANMAC316L-160-132	160 - 132	2500 - 6500	51.180	316-316L
THB-SANMAC4571-160-122	160 - 122	2500 - 6500	67.080	316Ti
THB-SANMAC316L-160-122	160 - 122	2500 - 6500	67.080	316-316L
THB-SANMAC316L-170-140	170 - 140	2500 - 6500	58.220	316-316L
THB-SANMAC304L-170-130	170 - 130	2500 - 6500	75.120	304-304L
THB-SANMAC4571-170-106	170 - 106	2500 - 6500	110.580	316Ti
THB-SANMAC316L-170-100	170 - 100	2500 - 6500	118.310	316-316L
THB-SANMAC304L-170-140	170 - 140	2500 - 6500	58.220	304-304L
THB-SANMAC316L-170-130	170 - 130	2500 - 6500	75.120	316-316L
THB-SANMAC316L-170-106	170 - 106	2500 - 6500	110.580	316-316L
THB-SANMAC304L-170-118	170 - 118	2500 - 6500	93.750	304-304L
THB-SANMAC316L-170-118	170 - 118	2500 - 6500	93.750	316-316L
THB-SANMAC4571-170-118	170 - 118	2500 - 6500	93.750	316Ti
THB-SANMAC4571-170-140	170 - 140	2500 - 6500	58.220	316Ti
THB-SANMAC4571-170-130	170 - 130	2500 - 6500	75.120	316Ti
THB-SANMAC304L-170-106	170 - 106	2500 - 6500	110.580	304-304L
THB-SANMAC304L-170-100	170 - 100	2500 - 6500	118.310	304-304L
THB-SANMAC304L-180-150	180 - 150	2500 - 6500	61.970	304-304L
THB-SANMAC316L-180-150	180 - 150	2500 - 6500	61.970	316-316L
THB-SANMAC4571-180-125	180 - 125	2500 - 6500	105.010	316Ti
THB-SANMAC316L-180-125	180 - 125	2500 - 6500	105.010	316-316L
THB-SANMAC304L-180-140	180 - 140	2500 - 6500	80.130	304-304L
THB-SANMAC316L-180-100	180 - 100	2500 - 6500	140.220	316-316L
THB-SANMAC316L-180-140	180 - 140	2500 - 6500	80.130	316-316L
THB-SANMAC4571-180-150	180 - 150	2500 - 6500	61.970	316Ti
THB-SANMAC304L-180-100	180 - 100	2500 - 6500	140.220	304-304L
THB-SANMAC304L-180-125	180 - 125	2500 - 6500	105.010	304-304L
THB-SANMAC304L-190-160	190 - 160	2500 - 6500	65.730	304-304L
THB-SANMAC316L-190-150	190 - 150	2500 - 6500	85.140	316-316L
THB-SANMAC4571-190-160	190 - 160	2500 - 6500	65.730	316Ti
THB-SANMAC316L-190-132	190 - 132	2500 - 6500	116.910	316-316L
THB-SANMAC304L-190-140	190 - 140	2500 - 6500	103.290	304-304L
THB-SANMAC316L-190-140	190 - 140	2500 - 6500	103.290	316-316L

## DEBELOZIDNE CEVI

CODE	DIMENZIJA MM	DUZINA MM	TEZINA TEOR. KG/M	MATERIJAL
THB-SANMAC4571-190-150	190 - 150	2500 - 6500	85.140	316Ti
THB-SANMAC4571-190-140	190 - 140	2500 - 6500	103.290	316Ti
THB-SANMAC304L-190-150	190 - 150	2500 - 6500	85.140	304-304L
THB-SANMAC304L-190-132	190 - 132	2500 - 6500	116.910	304-304L
THB-SANMAC4571-190-132	190 - 132	2500 - 6500	116.910	316Ti
THB-SANMAC316L-190-160	190 - 160	2500 - 6500	65.730	316-316L
THB-SANMAC304L-200-140	200 - 140	2500 - 6500	127.700	304-304L
THB-SANMAC316L-200-160	200 - 160	2500 - 6500	90.140	316-316L
THB-SANMAC304L-200-160	200 - 160	2500 - 6500	90.140	304-304L
THB-SANMAC4571-200-160	200 - 160	2500 - 6500	90.140	316Ti
THB-SANMAC4571-200-140	200 - 140	2500 - 6500	127.700	316Ti
THB-SANMAC316L-200-140	200 - 140	2500 - 6500	127.700	316-316L
THB-SANMAC304L-200-150	200 - 150	2500 - 6500	109.550	304-304L
THB-SANMAC316L-200-150	200 - 150	2500 - 6500	109.550	316-316L
THB-SANMAC316L-200-170	200 - 170	2500 - 6500	69.490	316-316L
THB-SANMAC304L-200-170	200 - 170	2500 - 6500	69.490	304-304L
THB-SANMAC304L-212-170	212 - 170	2500 - 6500	100.440	304-304L
THB-SANMAC4571-212-170	212 - 170	2500 - 6500	100.440	316Ti
THB-SANMAC304L-212-150	212 - 150	2500 - 6500	140.500	304-304L
THB-SANMAC4571-212-130	212 - 130	2500 - 6500	175.560	316Ti
THB-SANMAC316L-212-170	212 - 170	2500 - 6500	100.440	316-316L
THB-SANMAC304L-212-130	212 - 130	2500 - 6500	175.560	304-304L
THB-SANMAC316L-212-150	212 - 150	2500 - 6500	140.500	316-316L
THB-SANMAC316L-212-130	212 - 130	2500 - 6500	175.560	316-316L
THB-SANMAC304L-224-140	224 - 140	2500 - 6500	191.410	304-304L
THB-SANMAC316L-224-140	224 - 140	2500 - 6500	191.410	316-316L
THB-SANMAC316L-224-180	224 - 180	2500 - 6500	111.280	316-316L
THB-SANMAC304L-224-180	224 - 180	2500 - 6500	111.280	304-304L
THB-SANMAC4571-224-180	224 - 180	2500 - 6500	111.280	316Ti
THB-SANMAC4571-224-140	224 - 140	2500 - 6500	191.410	316Ti
THB-SANMAC304L-236-150	236 - 150	2500 - 6500	207.810	304-304L
THB-SANMAC316L-236-190	236 - 190	2500 - 6500	122.670	316-316L
THB-SANMAC304L-236-190	236 - 190	2500 - 6500	122.670	304-304L
THB-SANMAC4571-236-150	236 - 150	2500 - 6500	207.810	316Ti
THB-SANMAC4571-236-190	236 - 190	2500 - 6500	122.670	316Ti
THB-SANMAC316L-236-150	236 - 150	2500 - 6500	207.810	316-316L
THB-SANMAC304L-250-200	250 - 200	2500 - 6500	140.850	304-304L
THB-SANMAC4571-250-200	250 - 200	2500 - 6500	140.850	316Ti
THB-SANMAC316L-250-200	250 - 200	2500 - 6500	140.850	316-316L
THB-SANMAC316L-275-200	275 - 200	2500 - 6500	223.010	316-316L
THB-SANMAC316L-300-200	300 - 200	2500 - 6500	313.000	316-316L
THB-SANMAC316L-340-200	340 - 200	2500 - 6500	473.260	316-316L
THB-SANMAC304L-340-200	340 - 200	2500 - 6500	473.260	304-304L
THB-SANMAC316L-380-230	380 - 230	2500 - 6500	572.790	316-316L

## DEBELOZIDNE CEVI

CODE	DIMENZIJA MM	DUZINA MM	TEZINA TEOR. KG/M	MATERIJAL
THB-SANMAC316L-400-300	400 - 300	2500 - 6500	438.200	316-316L
THB-SANMAC316L-420-300	420 - 300	2500 - 6500	540.860	316-316L

Tolerancija

Spoljni precnik	Unutrasnji precnik	Upravnost
+2/0 % but min. +1/0 mm	+0/+2% but min. 0/-1 mm	1.5 mm/m

Standard

za materijale 304/304L i 316/316L, D 32-250 mm  
 DIN 17456, DIN 17458 T1  
 NFA 49-317  
 PED 97/23/EC  
 EN 10216-5 TC1, EN 10294-2  
 IC - test EN ISO 3651-2A u uslovima za isporuku  
 NACE MR-0175/ISO 15156

za materijal SANMAC 4571, EN 1.4571  
 DIN 17456, DIN 17458 T1  
 NFA 49-317  
 PED 97/23/EC  
 EN 10216-5 TC1, EN 10294-2  
 IC - test EN ISO 3651-2A u uslovima za isporuku  
 IC - intergranularna korozija

za materijale 304/304L i 316/316L, D > = 275 mm  
 ASTM A479, ASTM A276  
 ASME SA479  
 EN 10088-3, EN 10294-2  
 NACE MR-0175/ISO 15156  
 IC-test ASTM A262 Pr. E